

Version: 1.0

# Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010 Issue date:05/08/2020 Revision date:

**SECTION 1: Identification** 

**Product identifier** 

: Mixture Product form

Trade name : Sanitizer 96,4% Alcohol Aerosol Citrus 400ml

Type of product : Sanitizer Product group : Disinfectant

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Disinfectant

1.3. Supplier's details

Supplier

Parrot Products Pty (Ltd) 22 Cleveland Road, Johannesburg, 2022 - South Africa, T +27 (0)10 140 4900

sales@parrot.co.za - www.parrot.co.za

**Emergency telephone number** 

: +27 (0)10 140 4900 **Emergency number** 

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### **Classification according to the United Nations GHS**

Aerosol, Category 1 H222:H229

Serious eye damage/eye irritation, H319

Category 2A

H305

Aspiration hazard, Category 2

Hazardous to the aquatic environment —

H401

Acute Hazard, Category 2

Full text of H statements : see section 16

### **Label elements**

### Labelling according to the United Nations GHS

Hazard pictograms (GHS-ZA)





Signal word (GHS-ZA) : Danger

Hazardous ingredients : ethanol; ethyl alcohol

Hazard statements (GHS-ZA) H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H305 - May be harmful if swallowed and enters airways

H319 - Causes serious eye irritation.

H401 - Toxic to aquatic life

Precautionary statements (GHS-ZA) P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P264 - Wash hands, forearms and face thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear eye protection.

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P331 - Do NOT induce vomiting

P337+P313 - If eye irritation persists: Get medical advice, medical attention.

P405 - Store locked up.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C. P501 - Dispose of contents and container to an approved waste disposal plant.

06/08/2020 EN (English) 1/7

# Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Pressurised container: May burst if heated, Extremely flammable aerosol, Causes serious eye irritation, May be harmful if swallowed and enters airways, Toxic to aquatic life

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
ethanol; ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	≥ 90	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Inhalation:vapour) Eye Irrit. 2A, H319 Asp. Tox. 2, H305 Aquatic Acute 2, H401
Diethyl phthalate	(CAS-No.) 84-66-2 (EC-No.) 201-550-6	< 1	Flam. Liq. 4, H227 Skin Irrit. 3, H316 Aquatic Acute 3, H402

Full text of H-statements: see section 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : Risk of lung oedema.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

# 5.2. Special hazards arising from the substance or mixture

Fire hazard : Extremely flammable aerosol.

Explosion hazard : Pressurised container: May burst if heated.

Hazardous decomposition products in case of : Toxic fumes may be released.

fire

# 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

# 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin

and eyes.

# 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

06/08/2020 EN (English) 2/7

# Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Other information : Dispose of materials or solid residues at an authorized site.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locked

up. Store in a well-ventilated place. Keep cool.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

ethanol; ethyl alcohol (64-17-5)			
South Africa - Occupational Exposure Limits (Recommended Limits)			
Local name	Ethanol (Ethyl alcohol)		
OEL TWA (mg/m³)	1900 mg/m³		
OEL TWA (ppm)	1000 ppm		
Regulatory reference	Government Notice. R: 1179		
South Africa - Occupational Exposure Limits (Airbo	orne Pollutants)		
Local name	Ethanol (Ethyl alcohol)		
OEL TWA (mg/m³)	1900 mg/m³		
OEL TWA (ppm)	1000 ppm		
Regulatory reference Government Notice No. R 904			
Diethyl phthalate (84-66-2)			
South Africa - Occupational Exposure Limits (Recommended Limits)			
Local name	Diethyl phthalate		
OEL TWA (mg/m³)	5 mg/m³		
OEL STEL (mg/m³)	10 mg/m³		
Regulatory reference Government Notice. R: 1179			
South Africa - Occupational Exposure Limits (Airborne Pollutants)			
Local name	Diethyl phthalate		
OEL TWA (mg/m³)	5 mg/m³		
OEL STEL (mg/m³)	10 mg/m³		
OLE OTEL (IIIg/III )			

# 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

# 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

# Personal protective equipment symbol(s):



### 8.4. Exposure limit values for the other components

No additional information available

06/08/2020 EN (English) 3/7

# Safety Data Sheet

Flash point

Auto-ignition temperature

Decomposition temperature

According to SANS 10234:2019 and SANS 11014:2010

# SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, colorless liquid.

Colour : Colourless. : No data available Odour Odour threshold No data available рΗ : No data available pH solution : No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flammability (solid, gas) : Extremely flammable aerosol.

: No data available

: No data available

No data available

Vapour pressure No data available Vapour pressure at 50 °C No data available Relative vapour density at 20 °C : No data available : No data available Relative density Relative density of saturated gas/air mixture No data available Density No data available Relative gas density No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Partition coefficient n-octanol/water (Log Kow) : No data available Viscosity, kinematic : No data available : No data available

Explosive properties : Pressurised container: May burst if heated.

Oxidising properties : No data available **Explosive limits** : No data available Lower explosive limit (LEL) : No data available Upper explosive limit (UEL) : No data available

### Other information

No additional information available

# **SECTION 10: Stability and reactivity**

### Reactivity

Viscosity, dynamic

Extremely flammable aerosol. Pressurised container: May burst if heated.

### **Chemical stability**

Stable under normal conditions.

#### Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### **Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### Incompatible materials

No additional information available

# Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified Acute toxicity (dermal) : Not classified

06/08/2020 EN (English) 4/7

# Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

Acute toxicity (inhalation)	:	Not classified
-----------------------------	---	----------------

ethanol; ethyl alcohol (64-17-5)		
LD50 oral rat	7060 mg/kg	
LC50 inhalation rat (mg/l)	124.7 mg/l/4h	

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified : Not classified STOT-single exposure STOT-repeated exposure : Not classified

Aspiration hazard : May be harmful if swallowed and enters airways.

Sanitizer 96,4% Alcohol Aerosol Citrus 400ml		
Vaporizer	Aerosol	
Hydrocarbon	Yes	

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

Ecology - general : Toxic to aquatic life. Hazardous to the aquatic environment, short-: Toxic to aquatic life.

term (acute)

: Not classified

Hazardous to the aquatic environment, longterm (chronic)

ethanol; ethyl alcohol (64-17-5)				
LC50 fish 1	12 – 16 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
LC50 fish 2	100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
LC50 other aquatic organisms 1	7 mg/l			
EC50 Daphnia 1	9268 – 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Partition coefficient n-octanol/water (Log Kow)	-0.31			
Partition coefficient n-octanol/water (Log Pow)	-0.32			

# Persistence and degradability

Sanitizer 96,4% Alcohol Aerosol Citrus 400ml		
Persistence and degradability	No additional information available	

#### 12.3. **Bioaccumulative potential**

Sanitizer 96,4% Alcohol Aerosol Citrus 400ml

Bioaccumulative potential	No additional information available
ethanol; ethyl alcohol (64-17-5)	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Partition coefficient n-octanol/water (Log Kow)	-0.31

#### Mobility in soil 12.4.

Sanitizer 96,4% Alcohol Aerosol Citrus 400ml				
Mobility in soil No additional information available				

etr	ıanoı;	etnyı	aic	onoi	(64	-17-	5)
			-				

, ,	
Partition coefficient n-octanol/water (Log Pow)	-0.32
Partition coefficient n-octanol/water (Log Kow)	-0.31

#### Other adverse effects

Ozone : Not classified

: No additional information available Other adverse effects

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

06/08/2020 EN (English) 5/7

# Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

# **SECTION 14: Transport information**

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA		
14.1. UN number				
1950	1950	1950		
14.2. Proper Shipping Name				
AEROSOLS (Ethanol)	AEROSOLS (Ethanol)	Aerosols, flammable (Ethanol)		
14.3. Transport hazard class(es)				
2.1	2.1	2.1		
2	2			
14.4. Packing group				
Not applicable	Not applicable	Not applicable		
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No		
	Marine pollutant : No			
No supplementary information available				

#### 14.6. Special precautions for user

#### - SANS

Special provisions (SANS) : 63, 190
Limited quantities (SANS) : See SP277
Limited quantities (SANS) : See SP277
Packagings, large packagings and IBCs : P003

Packing instructions (SANS)

Packagings, large packagings and IBCs Special : PP17, PP87

packing instructions (SANS)

#### - IMDG

Special provisions (IMDG) : 63, 190, 277, 327, 344, 381, 959

Packing instructions (IMDG) : P207, LP200 Special packing provisions (IMDG) : PP87, L2

EmS-No. (Fire) : F-D - FIRE SCHEDULE Delta - FLAMMABLE GASES

EmS-No. (Spillage) : S-U - SPILLAGE SCHEDULE Uniform - GASES (FLAMMABLE, TOXIC OR CORROSIVE)

Stowage category (IMDG) : None

#### - IATA

PCA Excepted quantities (IATA) : E0
PCA Limited quantities (IATA) : Y203
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 203
PCA max net quantity (IATA) : 75kg
CAO packing instructions (IATA) : 203
CAO max net quantity (IATA) : 150kg

Special provisions (IATA) : A145, A167, A802

ERG code (IATA) : 10L

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health, and environmental national regulations specific for the product

Regulatory reference : SANS 10234:2019; SANS 11014:2010; SANS 10228:2012; SANS 10229:2010; SANS 10232(1,2,4), SANS 10231:2018; Occupational Health and Safety Act 85 of 1993; National

Road Traffic Act 93 of 1996.

**SECTION 16: Other information** 

Issue date : 05/08/2020

06/08/2020 EN (English) 6/7

# Safety Data Sheet

According to SANS 10234:2019 and SANS 11014:2010

### Full text of H-statements:

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H227	Combustible liquid
H270	May cause or intensify fire; oxidiser.
H302	Harmful if swallowed.
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways.
H305	May be harmful if swallowed and enters airways
H312	Harmful in contact with skin.
H313	May be harmful in contact with skin
H315	Causes skin irritation.
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation
H351	Suspected of causing cancer.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### SDS South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

06/08/2020 EN (English) 7/7